

Standard Outside Diameter															
o/d chart			300mm	350mm	375mm/15"	400mm	450mm	500mm	550mm	600mm	650mm	675mm	700mm	750mm	
Imperial cast iron & asbestos cement (turned end)	class ABCD	BS78 1981												826	
	Class AB	BS1211 (uti 27") BS78/486 1966	333.8	386.6	413	439.4	492.3	545.1	597.9	650.2	702.6	728.9	754.9	807.2	
	Class CD		345.4	399.3	426.2	453.1	506.9	560.3	613.7	667	720.3	746.8	773.2	826	
	Non standard														
steel	series 1	iso/4200	323.9	355.6		406.4	457	508		610					
	series 2	iso/4200											711	762	
	series 3	iso/4200							559		660				
	BS1387														
	BS534			323.9	355.6		406.4	457	508	559	610	660		711	762
	BS3600			323.9	355.6		406.4	457	508	559	610	660		711	762
	API5L & BS1600 UTI36" NB			323.9	355.6		406.4	457	508	559	610	660		711	762
UPVC	BS3505		323.9	355.6		406.4	457	508		610					
	BS3506		323.9	355.6		406.4	457	508	559	610					
ABS	BS5391														
Ductile	EN545/EN598/BS4772		326	378		429	480	532		635			738	806	
metric asbestos Cement	Class 15	BS486 1981	334	392		448	498	568		654			761	830	
	Class 20		345	405		463	515	586		672			780	852	
	Class 25		356	419		478	532	605		691			801		
UPVC (metric)			280	315		400	450	500		710	800	900	1000	1200	